



CERTIFICATE OF ANALYSIS

Date: 21/04/13

PRODUCT NAME : ACACIA

CAS No : 9000- 01-5
Mol. Formula : -----
Mol. WT : -----

Product code : 11000
Batch No : MCR-6624
Mfd . : April 2013

S. R	Test	Specification	Observation
1	Loss on drying at 105 ⁰ C	15 % max	8.86 %
2	Insoluble matter	0.5 % max	0.22 %
3	Acid insoluble ash	0.5 % max	0.31%
4	Ash	5 % max	3.1%
5	Starch & Dextrine	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503