

## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : ACACIA**


**CAS No : 9000-01-5**  
**Date of analysis : 06/07/24**  
**Mfd. : July 2024**

**Product code : 11000**  
**Batch No. : MCR-31435**  
**Exp. : June 2029**

S.R	Test	Specification	Observation
1	<b>Description</b>	White, yellowish white, yellow or amber or slightly light brown coloured powder.	Slightly light brown coloured powder.
2	<b>Loss on drying at 105<sup>0</sup>C</b>	15 % max	6.09%
3	<b>Insoluble matter</b>	0.5 % max	0.4%
4	<b>Acid insoluble ash</b>	0.5 % max	0.27%
5	<b>Ash</b>	5 % max	4.1%
6	<b>Starch &amp; Dextrine</b>	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**



**CHEMIST  
(Deepa)**

**[QC Incharge]**



**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.