



CERTIFICATE OF ANALYSIS

Date: 05/03/18

PRODUCT NAME : ACACIA

CAS No : 9000- 01- 5
Mfd. : March 2018
Exp. : Feb. 2023

Product code : 11000
Batch No : MCR-15637

S. R	Test	Specification	Observation
1	Loss on drying (105 ⁰ C)	15 % max	6.95%
2	Insoluble matter	0.5% max	0.1%
3	Acid insoluble ash	0.5% max	0.08%
4	Ash	5% max	0.8%
5	Starch & Dextrine	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503