

# Material Safety Data Sheet



ACETYL CHLORIDE

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11075

Page 1 of 10

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Trade name : ACETYL CHLORIDE

Product code : 11075

Identification of the product : Acetyl Chloride

CAS No : 75-36-5

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

Company identification : MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

## **2. Hazards identification**

### **2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Acute toxicity (oral), H302

Category 4

Skin corrosion/irritation, H314

Category 1B

Adverse physicochemical, human health and environmental effects

No additional information available

### **2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to display  
Extra classification(s) to display

Symbol(s) : Highly flammable

C: Corrosive



Hazard pictograms :



MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**ACETYL CHLORIDE**

**VERSION : 01**  
**DATE OF ISSUE :02-12-2016**  
**SUPERSEDES : Nil**

**Product Code : 11075**

**Page 2 of 10**

**Signal word** : Danger

**Hazard statements** : H225 - Highly flammable liquid and vapour.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

**Precautionary statements** : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

### **2.3. Other hazards**

No additional information available

## **3. Composition/information on ingredients**

### **3.1. Substances : ACETYL CHLORIDE**

CAS-No. : 75-36-5

Substance.

Contains no other components or impurities which will influence the classification of the product.

## **4. First aid measures**

### **4.1. Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Immediately call a POISON CENTER/doctor.

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after ingestion : Harmful if swallowed.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **5. Firefighting measures**

### **5.1. Extinguishing media**

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**ACETYL CHLORIDE**

**VERSION : 01**  
**DATE OF ISSUE :02-12-2016**  
**SUPERSEDES : Nil**

**Product Code : 11075**

**Page 3 of 10**

Suitable extinguishing media : Dry powder.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

## **5.2. Special hazards arising from the substance or mixture**

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

## **5.3. Advice for firefighters**

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### **6.1.1. For non-emergency personnel**

Emergency procedures : Evacuate unnecessary personnel.

#### **6.1.2. For emergency responders**

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release. Ventilate area.

### **6.2. Environmental precautions**

Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### **6.4. Reference to other sections**

No additional information available

## **7. Handling and storage**

### **7.1. Precautions for safe handling**

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Comply with applicable regulations.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**ACETYL CHLORIDE**

**VERSION : 01**  
**DATE OF ISSUE :02-12-2016**  
**SUPERSEDES : Nil**

**Product Code : 11075**

**Page 4 of 10**

Storage conditions : Keep in fireproof place. Keep container tightly closed. Store in dry protected location to prevent any moisture contact. Incompatible materials : Heat sources.

### **7.3. Specific end use(s)**

No additional information available

### **8. Exposure controls/personal protection**

#### **8.1. Control parameters**

No additional information available

#### **8.2. Exposure controls**

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield

Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

### **9. Physical and chemical properties**

#### **9.1. Information on basic physical and chemical properties**

**Odour threshold** : No data available

**pH** : No data available

**Relative evaporation rate (butylacetate=1)** : No data available

**Melting point** : -1120 °C

**Freezing point** : No data available

**Boiling point** : 520 °C

**Flash point** : 5 °C

**Auto-ignition temperature** : 3900 °C

**Decomposition temperature** : No data available

**Flammability (solid, gas)** : Highly flammable.

**Highly flammable liquid and vapour.**

**Vapour pressure** : 805.765 hPa

**Relative vapour density at 20 °C** : 2.7

**Relative density** : 1.104

**Density** : 1.11 g/cm<sup>3</sup>

**Solubility** : Water: Decomposes violently in water

**Log Pow** : No data available

**Viscosity, kinematic** : No data available

**Viscosity, dynamic** : No data available

**Explosive properties** : No data available

**Oxidising properties** : No data available

**Explosive limits** : 0.073 - 0.19 vol %

#### **9.2. Other information**

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



ACETYL CHLORIDE

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11075

Page 5 of 10

No additional information available

## **10. Stability and reactivity**

### **10.1. Reactivity**

Thermal decomposition generates : Corrosive vapours. Reacts violently with water.

### **10.2. Chemical stability**

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### **10.3. Possibility of hazardous reactions**

Highly reactive material. Reacts violently with water.

### **10.4. Conditions to avoid**

Open flame. Direct sunlight. Moisture.

### **10.5. Incompatible materials**

No additional information available

### **10.6. Hazardous decomposition products**

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

## **11. Toxicological information**

### **11.1. Information on toxicological effects**

**Acute toxicity** : Oral: Harmful if swallowed.

**Skin corrosion/irritation** : Causes severe skin burns and eye damage.

**Serious eye damage/irritation** : Serious eye damage, category 1, implicit

**Respiratory or skin sensitisation** : Not classified

**Carcinogenicity** : Not classified

**Reproductive toxicity** : Not classified

**STOT-single exposure** : Not classified

**STOT-repeated exposure** : Not classified

**Aspiration hazard** : Not classified

## **12. Ecological information**

### **12.1. Toxicity**

No additional information available

### **12.2. Persistence and degradability**

No additional information available

### **12.3. Bioaccumulative potential**

No additional information available

### **12.4. Mobility in soil**

No additional information available

### **12.5. Results of PBT and vPvB assessment**

No additional information available

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACETYL CHLORIDE

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11075

Page 6 of 10

## 12.6. Other adverse effects

No additional information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

**Product/Packaging disposal recommendations:** Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Additional information :** Handle empty containers with care because residual vapours are flammable. Do not allow water (or moist air) contact with this material.

## 14. Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1717

UN-No. (IMDG) : 1717

UN-No. (IATA) : 1717

UN-No. (ADN) : 1717

UN-No. (RID) : 1717

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ACETYL CHLORIDE

Proper Shipping Name (IMDG) : ACETYL CHLORIDE

Proper Shipping Name (IATA) : Acetyl chloride

Proper Shipping Name (ADN) : ACETYL CHLORIDE

Proper Shipping Name (RID) : ACETYL CHLORIDE

Transport document description (ADR) : UN 1717 ACETYL CHLORIDE, 3 (8), II, (D/E)

Transport document description (IMDG) : UN 1717 ACETYL CHLORIDE, 3 (8), II (5°C c.c.)

Transport document description (IATA) : UN 1717 Acetyl chloride, 3 (8), II

Transport document description (ADN) : UN 1717 ACETYL CHLORIDE, 3 (8), II

Transport document description (RID) : UN 1717 ACETYL CHLORIDE, 3 (8), II

### 14.3. Transport hazard class(es)

**ADR:** Transport hazard class(es) (ADR) : 3 (8)

Danger labels (ADR) : 3, 8

**IMDG:** Transport hazard class(es) (IMDG) : 3 (8)

Danger labels (IMDG) : 3, 8

**IATA:** Transport hazard class(es) (IATA) : 3 (8)

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**ACETYL CHLORIDE**

**VERSION : 01**  
**DATE OF ISSUE :02-12-2016**  
**SUPERSEDES : Nil**

**Product Code : 11075**

**Page 7 of 10**

Hazard labels (IATA) : 3, 8

**AND:** Transport hazard class(es) (ADN) : 3 (8)

Danger labels (ADN) : 3, 8

**RID:** Transport hazard class(es) (RID) : 3 (8)

Danger labels (RID) : 3, 8

#### **14.4. Packing group**

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

#### **14.5. Environmental hazards**

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

#### **14.6. Special precautions for user**

##### **Overland transport**

Classification code (ADR) : FC

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T8

Portable tank and bulk container special provisions (ADR) : TP2

Tank code (ADR) : L4BH

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage – Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : X338

Orange plates : Tunnel restriction code (ADR) : D/E

EAC code : 4WE

APP code : A(fl)

##### **Transport by sea**

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

IBC special provisions (IMDG) : B20

Tank instructions (IMDG) : T8

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**ACETYL CHLORIDE**

**VERSION : 01**  
**DATE OF ISSUE :02-12-2016**  
**SUPERSEDES : Nil**

**Product Code : 11075**

**Page 8 of 10**

Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-C

Stowage category (IMDG) : B

Stowage and handling (IMDG) : SW2

Flash point (IMDG) : 5°C c.c.

MFAG-No : 155

### **Air transport**

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y340

PCA limited quantity max net quantity (IATA) : 0.5L

PCA packing instructions (IATA) : 352

PCA max net quantity (IATA) : 1L

CAO packing instructions (IATA) : 363

CAO max net quantity (IATA) : 5L

ERG code (IATA) : 3C

### **Inland waterway transport**

Classification code (ADN) : FC

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

### **Rail transport**

Classification code (RID) : FC

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T8

Portable tank and bulk container special provisions (RID) : TP2

Tank codes for RID tanks (RID) : LABH

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE7

Hazard identification number (RID) : X338

### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**



# Material Safety Data Sheet



ACETYL CHLORIDE

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11075

Page 9 of 10

## **15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### **15.1.1. EU-Regulations**

No REACH Annex XVII restrictions

ACETYL CHLORIDE Extra Pure is not on the REACH Candidate List

ACETYL CHLORIDE Extra Pure is not on the REACH Annex XIV List

### **15.1.2. National regulations**

#### **Germany**

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water  
(Classification according to AwSV; ID No. 784)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

#### **Denmark**

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### **15.2. Chemical safety assessment**

No additional information available

## **16. Other information**

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification,

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**ACETYL CHLORIDE**

**VERSION : 01**  
**DATE OF ISSUE :02-12-2016**  
**SUPERSEDES : Nil**

**Product Code : 11075**

**Page 10 of 10**

labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information** : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

## **End of document**

**Prepared by: MOLYCHEM (INDIA)**

**For questions contact: MOLYCHEM**

**Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.**

**Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,**

**Kulgaon, Badlapur (E), Dist.-Thane-421 503**

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make **NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.**)

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,**

**Kulgaon, Badlapur (E), Dist.-Thane-421 503**