

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 1 of 12

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Trade name : ACRYLIC ACID 99%

Product code : 11255

Identification of the product : Acrylic Acid

CAS No :79-10-7

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

Company identification : MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503.

## **2. Hazards identification**

### **2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

Acute toxicity (oral), H302

Category 4

Acute toxicity (dermal), H312

Category 4

Acute toxicity (inhal.), H331

Category 3

Skin corrosion/irritation, H314

Category 1A

Specific target organ

toxicity — Single

exposure, Category 3,

Respiratory tract irritation H335

Hazardous to the aquatic

environment — Acute H400

Hazard, Category 1

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R20/21/22

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 2 of 12

C; R35

N; R50

R10

Full text of R-phrases: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements


Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to display  
Extra classification(s) to display

Symbol(s): Highly flammable

Xn: Harmful

C: Corrosive

N : Dangerous for the environment



### R Phrase(s):

R10. Flammable.

R35. Cause severe burns.

R50. Very toxic to aquatic organisms.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

S Phrase(s): S26. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advise.

S45. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S61: avoid release to the environment . refer to special instruction/safety data sheets.

S36/37/39 : Wear suitable protective clothing and gloves & eye/face protecting.

### Hazard pictograms



Signal word : Danger

Hazard statements : H226 - Flammable liquid and vapour.

H302+H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage.

H331 - Toxic if inhaled.

H335 - May cause respiratory irritation.

H400 - Very toxic to aquatic life.

Precautionary statements : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 3 of 12

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

## **2.3. Other hazards**

No additional information available

## **3. Composition/information on ingredients**

### **3.1. Substances : ACRYLIC ACID**

CAS-No. : 79-10-7

Substance.

Contains no other components or impurities which will influence the classification of the product.

## **4. First aid measures**

### **4.1. Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : Get medical advice/attention. Wash with plenty of water/.... Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation. Toxic if inhaled.

Symptoms/effects after skin contact : Harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Harmful if swallowed.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **5. Firefighting measures**

### **5.1. Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 4 of 12

## **5.2. Special hazards arising from the substance or mixture**

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

## **5.3. Advice for firefighters**

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### **6.1.1. For non-emergency personnel**

Emergency procedures : Evacuate unnecessary personnel.

#### **6.1.2. For emergency responders**

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### **6.2. Environmental precautions**

Very toxic to aquatic life.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

### **6.4. Reference to other sections**

No additional information available

## **7. Handling and storage**

### **7.1. Precautions for safe handling**

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Do not breathe vapours. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Storage conditions : Keep container tightly closed. Store in a well-ventilated place.

Incompatible materials : Heat sources.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 5 of 12

Packaging materials : Do not store in corrodable metal.

### **7.3. Specific end use(s)**

No additional information available.

### **8. Exposure controls/personal protection**

#### **8.1. Control parameters**

No additional information available

#### **8.2. Exposure controls**

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

### **9. Physical and chemical properties**

#### **9.1. Information on basic physical and chemical properties**

**Odour threshold** : No data available

**pH** : 1 - 2

**Relative evaporation rate (butylacetate=1)** : 1

**Melting point** : 13 °C

**Freezing point** : No data available

**Boiling point** : 139 °C

**Flash point** : 46 °C

**Auto-ignition temperature** : 438 °C

**Decomposition temperature** : No data available

**Flammability (solid, gas)** : Flammable liquid and vapour.

**Vapour pressure** : 5 hPa at 20 °C

**Relative vapour density at 20 °C** : 2.49

**Relative density** : No data available

**Density** : 1.051 g/cm<sup>3</sup>

**Solubility** : Water: Completely miscible

**Log Pow** : 0.46

**Viscosity, kinematic** : No data available

**Viscosity, dynamic** : No data available

**Explosive properties** : No data available

**Oxidising properties** : No data available

**Explosive limits** : 0.02 - 0.137 vol %

#### **9.2. Other information**

No additional information available

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 6 of 12

## **10. Stability and reactivity**

### **10.1. Reactivity**

No additional information available

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No additional information available

### **10.4. Conditions to avoid**

Open flame. Heat. Sparks.

### **10.5. Incompatible materials**

No additional information available

### **10.6. Hazardous decomposition products**

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

## **11. Toxicological information**

### **11.1. Information on toxicological effects**

Acute toxicity : Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled.  
Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 1 - 2

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 1 - 2

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Additional information : Corrosive to the respiratory tract.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms: Harmful if swallowed. Harmful in contact with skin.

## **12. Ecological information**

### **12.1. Toxicity**

Ecology - water : Very toxic to aquatic life.

### **12.2. Persistence and degradability**

No additional information available

### **12.3. Bioaccumulative potential**

Log Pow 0.46

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 7 of 12

## **12.4. Mobility in soil**

No additional information available

## **12.5. Results of PBT and vPvB assessment**

No additional information available

## **12.6. Other adverse effects**

No additional information available

## **13. Disposal considerations**

### **13.1. Waste treatment methods**

Product/Packaging disposal recommendations: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

## **14. Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### **14.1. UN number**

UN-No. (ADR) : 2218

UN-No. (IMDG) : 2218

UN-No. (IATA) : 2218

UN-No. (ADN) : 2218

UN-No. (RID) : 2218

### **14.2. UN proper shipping name**

Proper Shipping Name (ADR) : ACRYLIC ACID, STABILIZED

Proper Shipping Name (IMDG) : ACRYLIC ACID, STABILIZED

Proper Shipping Name (IATA) : Acrylic acid, stabilized

Proper Shipping Name (ADN) : ACRYLIC ACID, STABILIZED

Proper Shipping Name (RID) : ACRYLIC ACID, STABILIZED

Transport document description (ADR) : UN 2218 ACRYLIC ACID, STABILIZED, 8 (3), II, (D/E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 2218 ACRYLIC ACID, STABILIZED, 8 (3), II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS (54°C o.c.)

Transport document description (IATA) : UN 2218 Acrylic acid, stabilized, 8 (3), II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 2218 ACRYLIC ACID, STABILIZED, 8 (3), II, ENVIRONMENTALLY

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**



# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 8 of 12

## HAZARDOUS

Transport document description (RID) : UN 2218 ACRYLIC ACID, STABILIZED, 8 (3), II, ENVIRONMENTALLY

## HAZARDOUS

### 14.3. Transport hazard class(es)

**ADR:** Transport hazard class(es) (ADR) : 8 (3)

Danger labels (ADR) : 8, 3

**IMDG:** Transport hazard class(es) (IMDG) : 8 (3)

Danger labels (IMDG) : 8, 3

**IATA:** Transport hazard class(es) (IATA) : 8 (3)

Hazard labels (IATA) : 8, 3

**ADN :** Transport hazard class(es) (ADN) : 8 (3)

Danger labels (ADN) : 8, 3

**RID :** Transport hazard class(es) (RID) : 8 (3)

Danger labels (RID) : 8, 3

### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : CF1

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP2

Tank code (ADR) : L4BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage – Operation (ADR) : S2

Hazard identification number (Kemler No.) : 839

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**



# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 9 of 12

Orange plates : Tunnel restriction code (ADR) : D/E

EAC code : •2W

APP code : A(fl)

### Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-C

Stowage category (IMDG) : C

Stowage and handling (IMDG) : SW1, SW2

Flash point (IMDG) : 54°C o.c.

MFAG-No : 132P

### Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840

PCA limited quantity max net quantity (IATA) : 0.5L

PCA packing instructions (IATA) : 851

PCA max net quantity (IATA) : 1L

CAO packing instructions (IATA) : 855

CAO max net quantity (IATA) : 30L

ERG code (IATA) : 8F

### Inland waterway transport

Classification code (ADN) : CF1

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : CF1

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 10 of 12

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions (RID) : TP2

Tank codes for RID tanks (RID) : LABN

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE6

Hazard identification number (RID) : 839

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
Not applicable

## **15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### **15.1.1. EU-Regulations**

No REACH Annex XVII restrictions

ACRYLIC ACID is not on the REACH Candidate List

ACRYLIC ACID is not on the REACH Annex XIV List

### **15.1.2. National regulations**

#### **Germany**

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV; ID No. 11)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen – Borstvoeding: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen –

Vruchtbaarheid: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen – Ontwikkeling: The substance is not listed

#### **Denmark**

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H302+H312;H314;H331;H335;H400>; Emergency management guidelines for the storage of flammable liquids must be followed

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



ACRYLIC ACID 99%

VERSION : 01  
DATE OF ISSUE :02-12-2016  
SUPERSEDES : Nil

Product Code : 11255

Page 11 of 12

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No additional information available

## 16. Other information

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information** : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### End of document

Prepared by: MOLYCHEM (INDIA)

For questions contact: MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : [info@molychem.net](mailto:info@molychem.net)


Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

<b>Material Safety Data Sheet</b>	
ACRYLIC ACID 99%	VERSION : 01 DATE OF ISSUE :02-12-2016 SUPERSEDES : Nil
Product Code : 11255	Page 12 of 12

risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)